

APPLICATION AND REPORT FORM FOR THE INSTRUMENT RATING SKILL TEST ON HELICOPTER ACCORDING TO PART FCL SUBPART G AND APPENDIX 7 TO COMMISSION REGULATION (EU) NO 1178/2011 OF 3 NOVEMBER 2011

A. To be com	pleted by tl	ne examin	er		
☐ Single engine	helicopter			☐ Multi engine helicopter	
Date of test				Type of helicopter	.
B. To be com	pleted by t	ne aplican	t		
Date of birth (yyyy-mm-	·dd)				
State of licence issue				Licence no	
Last name				First and middle names	-
Street or box				Country	
Postal code City					
Telephone number E-mail address					
Place	•				Date
FLIGHT TIME	0	- DIG/CDIG	Nimba Filmba	In the control of	
Total flight time	Cross country	/ PIC/SPIC	Night Flight	Instrument	Instrument ground time
Signature of applicant					1
□ Applicant vo	arification of	compliance	o according	to ARA.GEN.315 and AM	IC1 APA GEN 315 (a)
(See instructions,		Compliand	e according	to AIVA.GEIV.313 and Aiv	ICT AIVA.GLIV.515 (C)
C. To be com	pleted by T	raining or	ganisation (continue on page 2)	
Name of ATO			<u> </u>	Date	
Recommendation by Head of Training or other person nominated by the Head of Trainging (capital letters)			inated by the	Signature Head of Training or other person nominated by the Head of Training	
				<u> </u>	
Course attende	d				
☐ IR Modular			☐ ATP/IR Ir	ntegrated	☐ CPL/IR Integrated
☐ Flight time cr	edited (Attach	statement of c	redited time)		1
			<u> </u>	□ N- 1/ - 1 - 1 - 1 - 1	
MCC completed In case of ATP/IR Integrated 🏻 🗀 Yes 🔻 No If no, planned date for MCC					



C. To be completed by Training organisation continued from previous page

Practical	training	durina	course

Fractical training during course						
				ıax (<u><</u>) times duri N (EU) NO 1178/		ng to COMMISSION
General	Student tim	е	IR Modular	ATP/IR Integrated	CPL/IR Integrated	
Total training time during course			<u>></u> 55h¹	≥195h³	<u>></u> 180h	
Total flight time	SE	ME	≥15h²	<u>></u> 130h	<u>></u> 130h	
Total time in FSTD	FNPT I	FNPTII/FTD2 FFS	<u><</u> 40h	≤65h³	<u><</u> 50h	
Instrument time	SE	ME	≥55h¹	≥50h⁴	≥50h⁴	
¹ May be reduced with 10h if applicant holds a IR ² Minimum 10h in IFR-certified helicopter.	. ,		.,		•	

4 Minimum 10h in IFR-certifie	time, max 15h FNPTII/FFS. No certificate will be ad ME helicopter.	rissued before Course Completion C	Sertificate of MCC completion is received.	
D. To be complet	ed by the examiner	1		
Final Result	☐ Passed	☐ Partial passed	☐ Failed	
☐ Temporary ratir	ng issued	☐ Temporary rating no	t issued	
Place		1	Date	
Signature of examiner			Stamp	
Examiner's certificate numbe	er	Name of examiner in block letters		
E. Before Test/Che	eck			
☐ Personal identific	cation card	In case of non-Swedish examiner, required documentation attached (see page 9 section E.)		
☐ Valid license (in d	case of modular course)			
☐ Valid medical cei	rtificate			
Valid R/T certificate class Swedish	☐ English	All pre-requisites checked, documented required in section B and C, and confirm		
☐ Theoretical examination completed		including latest revision of Examiners Differences Document		
☐ Valid language proficiency		_ Differences Docum	ent	
☐ Night rating (in case of modular and only if privileges to be used at night)		EDD revision nr:		
50h cross cour	ntry PIC, min 20h in helicopter	Sign (examiner)		
(**) = To be performedin Sec	ction 4 or Section 5	·		

- (***) = Multi-engine helicopter only
 (****) = Only one item to be tested
 (+) = To establish or maintain PBN privileges one approach in either Section 4 or Section 5 shall be an RNP APCH. Where an RNP APCH is not practicable, it shall be performed in an appropriately equipped FSTD.

Applicant Licence Number		



SECT	ION 1 Departure	Instructors initials when training completed	Chkd in FS/H	Pass	Fail
1.a	Use of flight manual (or equivalent) especially aircraft performance calculation; mass and balance		1-3/11		
1.b	Use of Air Traffic Services document, weather document				
1.c	Preparation of ATC flight plan, IFR flight plan/log				
1.d	Identification of the required navaids for departure, arrival and approach procedures				
1.e	Pre-flight inspection				
1.f	Weather minima				
1.g	Taxiing/Air taxi in compliance with ATC or instructions of instructor				
1.h	PBN departure (if applicable): - Check that the correct procedure has been loaded in the navigation system; and - Cross-check between the navigation system display and the departure chart.				
1.i	Pre-take-off briefing, procedures and checks				
1.j	Transition to instrument flight				
1.k	Instrument departure procedures, including PBN procedure				
		Examiners initials when section completed			

SECTION 2 GENERAL HANDLING		Instructors initials when training completed	Chkd in FS/H	Pass	Fail
2.a	Control of the helicopter by reference solely to instruments, including				
2.b	Climbing and descending turns with sustained Rate 1 turn				
2.c	Recoveries from unusual attitudes, including sustained 30° bank turns and steep descending turns				
		Examiners initials when section completed			



		Instructors initials when			
SECTION	ON 3 EN-ROUTE IFR PROCEDURES	training completed	Chkd in FS/H	Pass	Fail
3.a	Tracking, including interception, e.g. NDB, VOR, RNAV				
3.b	Use of radio aids				
3.c	Level flight, control of heading, altitude and airspeed, power setting				
3.d	Altimeter settings				
3.e	Timing and revision of ETAs				
3.f	Monitoring of flight progress, flight log, fuel usage, systems management				
3.g	Ice protection procedures, simulated if necessary and if applicable				
3.h	ATC liaison — compliance, R/T procedures				
		Examiners initials when section completed			
		Instructors initials when			
SECTI	ON 3A ARRIVAL PROCEDURES	training completed	Chkd in FS/A	Pass	Fail
3.a	Setting and checking of navigational aids, if applicable				
3.b	Arrival procedures, altimeter checks				
3.c	Altitude and speed constraints, if applicable				
3.d	PBN arrival (if applicable): - Check that the correct procedure has been loaded in the navigation system; and - Cross-check between the navigation system display and the arrival chart				
		Examiners initials when test section completed			
SECTION	ON 4 3D OPERATIONS (+)	Instructors initials when training completed	Chkd in FS/A	Pass	Fail
4.a	Setting and checking of navigational aids Check Vertical Path angle For RNP APCH: - Check that the correct procedure has been loaded in the navigation system; and - Cross-check between the navigation system display and the approach chart.				
4.b	Approach and landing briefing, including descent/approach/landing checks				
4.c(**)	Holding procedure				
4.d	Compliance with published approach procedure				
4.e	Approach timing				
4.f	Altitude, speed, heading control, (stabilised approach)				
4.g(**)	Go-around action				
4.h(**)	Missed approach procedure / landing				
4.i	ATC liaison — compliance, R/T procedures				
	1	Examiners initials when test section completed			



		The second second			
SECTION	ON 5 2D OPERATIONS (+)	Instructors initials when training completed	Chkd in FS/A	Pass	Fail
5.a	Setting and checking of navigational aids For RNP APCH: — Check that the correct procedure has been loaded in the navigation system; and — Cross-check between the navigation system display and the approach chart.				
5.b	Approach and landing briefing, including descent/approach/landing checks, including identification of facilities				
5.c(**)	Holding procedure				
5.d	Compliance with published approach procedure				
5.e	Approach timing				
5.f	Altitude, speed, heading control (stabilised approach)				
5.g(**)	Go-around action				
5.h(**)	Missed approach procedure(**)/landing				
5.i	ATC liaison – compliance, R/T procedures				
		Examiners initials when test section completed			····
	ON 6 - ABNORMAL AND EMERGENCY EDURES:	Instructors initials when training completed	Chkd in FS/H	Pass	Fail
6.a	Simulated engine failure after take-off and on/during approach (***) (at a safe altitude unless carried out in an FFS or FNPT II/III, FTD 2,3)				
6.b	Failure of stability augmentation devices/hydraulic system (if applicable)				
6.c	Limited panel				
6.d	Autorotation and recovery to a pre-set altitude				
6.e	3D operations manually without flight director (****) 3D operations manually with flight director (****)				
		Examiners initials when section completed			



Helicopter registration or FS	GTD qualification no:		Rotor stop/end of FSTD slot	
Departure aerodrome		Rotor turning/Start of FSTD slot		
Destination aerodrome			Total flight time	
Helicopter type and variant		Pilot in command		Other flight crew, (if any)
				l
REMARKS				
tem no	Comment			
ebriefing/taken part of	Signature of applican	nt:		
omments above				
ADDITIONAL INFORMA	ATION REGARDING	THE TEST/PC		



Instructions for completing form TSL7569 - Instrument rating Helicopter

- A. Please enter the complete information. "Type of helicopter" means the relevant type of helicopter according to EASA Class and Type Rating List/Licence Endorsement list (Helicopters).
- B. Personal information of the applicant.
- C. This section is to be completed by the Head of Training of the ATO. Total time cross-country is referring to total cross-country time logged by the applicant.
- D. The result of the test
- E. This section is a checklist of prerequisites for the examiner to check before the test/check. Please note that the examiner must sign and thus affirm that he has checked all prerequisites before the test.
- F. Protocol
 - (**) = To be performed in Section 4 or Section 5
 - (***) = Multi-engine helicopter only
 - (****) = Only one item to be tested
 - (+) = To establish or maintain PBN privileges one approach in either Section 4 or Section 5 shall be an RNP APCH. Where an RNP APCH is not practicable, it shall be performed in an appropriately equipped FSTD.
 - The following limits shall apply corrected to make allowance for turbulent conditions and the handling qualities and performance of the helicopter used:

Height:

Generally	±100 feet
Starting a go-around at decision height	+50 feet/-0 feet
Minimum descent height/MAP/altitude	+50 feet/-0 feet

Tracking:

On radio aids	±5°
For "angular" deviations	Half scale deflection, azimuth and glide path (e.g. LPV, ILS, MLS, GLS)
2D (LNAV) and 3D (LNAV/VNAV) "linear" deviations	Cross track error/deviation shall normally be limited to ± ½ the RNP value associated with the procedure. Brief deviations from this standard up to a maximum of 1 time the RNP value are allowed.
3D linear vertical deviations (e.g. RNP APCH (LNAV/VNAV) using BaroVNAV)	Not more than -75 feet below the vertical profile at any time, and not more than +75 feet above the vertical profile at or below 1000 feet above aerodrome level.

Heading:

All engines operating	±5°
With simulated engine failure	±10°

Speed:

u.		
ſ	All engines operating	±5 knots
ſ	With simulated engine failure	+10 knots/-5 knots

- To establish or maintain PBN privileges one approach shall be an RNP APCH. Where an RNP APCH is not practicable, it shall be performed in an appropriately equipped FSTD.
- The following abbreviations are used to indicate the training equipment used:

H = Helicopter FS = Flight Simulator

FTD = Flight Training Device (including FNPT)



- Instructor initials are required for skill test.
- A flight simulator shall be used for practical training for type ratings if the simulator forms part of an approved type rating course. The following considerations will apply to the approval of the course:
 - (a) the qualification of the flight simulator or FNPT II as set out in Part-ORA;

 - (b) the qualifications of the instructors and examiner;(c) the amount of line-oriented flight training on the course.
 - (d) the qualifications and previous experience of the pilot under training.
 - (e) the amount of supervised line flying experience provided after the issue of the new type rating
- G. Details of the flight.
- H. Comments regarding tested items please indicate the item commented. The applicant signs that he/she has taken part of the result of the test (it is not a formal acceptance of the result).
- I. Additional information regarding the conditions during test, simulators etc.

Revision information:

Last update:

Changes: Major updates on sections A - E