


Flygchefsmöte 2016

Prestanda


Karl-Axel Edén

*Flyginspektör/sakkunnig, helikopteroperativa frågor
Sjö- och luftfartsavdelningen, sektionen för helikopter,
allmänflyg och fritidsbåtar*



CAT.POL.H.400 General

- (a) Helicopters operated in performance class 3 shall be certified in Category A or equivalent as determined by the Agency, or Category B.
- (b) Operations shall only be conducted in a non-hostile environment, except:
 - (1) when operating in accordance with CAT.POL.H.420; or
 - (2) for the take-off and landing phase, when operating in accordance with (c).



CAT.POL.H.420 Helicopter operations over a hostile environment located outside a congested area

- (a) Operations over a non-congested hostile environment without a safe forced landing capability with turbine-powered helicopters with an MOPSC of six or less shall only be conducted if the operator has been granted an approval by the competent authority, following a safety risk assessment performed by the operator. Before such operations take place in another Member State, the operator shall obtain an endorsement from the competent authority of that State. GM2 CAT.POL.H.420(a)
- (b) To obtain and maintain such approval the operator shall:
 - 1. only conduct these operations in the areas and under the conditions specified in the approval;
 - 2. not conduct these operations under a HEMS approval;
 - 3. substantiate that helicopter limitations, or other justifiable considerations, preclude the use of the appropriate performance criteria; and
 - 4. be approved in accordance with CAT.POL.H.305(b).
 - 5. Notwithstanding CAT.IDE.H.240, such operations may be conducted without supplemental oxygen equipment, provided the cabin altitude does not exceed 10 000 ft for a period in excess of 30 minutes and never exceeds 13 000 ft pressure altitude.